

Ditrac® TRACKING POWDER



Powerful Tracking Powder

DITRAC TRACKING POWDER is a powerful tracking powder containing the active ingredient, Diphacinone. Just teaspoon amounts will control Norway rats, roof rats and house mice.

DITRAC is more powerful than most tracking powders so it takes less product to achieve results. The Diphacinone in DITRAC is mixed with a special carrier that adheres to the rodent better than other tracking powders. DITRAC is a restricted-use tracking powder for use by certified applicators and is authorized by USDA for use in federally inspected meat and poultry plants.

DITRAC TRACKING POWDER is insoluble in water which prolongs the effect of the powder, making it ideal for tough jobs both outdoors and indoors. It is labelled for use indoors in homes, industrial plants, agricultural buildings, and other similar structures. DITRAC may also be dusted into rat burrows along the periphery of a building.

Like other tracking powders, DITRAC should not be used in drafty locations where it could contaminate food or surfaces that come in contact with food.

Packaging: 6 lb. and 25 lb. bulk pails – EPA REG. NO. 12455-56

Specimen Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Use against the Norway rat, roof rat, and house mouse inside of homes, industrial, and agricultural buildings and similar man-made structures. DITRAC TRACKING POWDER may also be dusted into rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures. Tracking powder must be placed in locations not accessible to children, pets, domestic animals, or wildlife. Do not place powder in areas where there is a possibility of contaminating food or on surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry areas where rats and mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of roof rats. For this species, use suitable cardboard tubes or wooden tunnels securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to prevent spillage of powder through the ends.

APPLICATION DIRECTIONS: Evenly sprinkle 1/2 ounce (3 level teaspoons) of DITRAC TRACKING POWDER in patches 12 inches long and 6 inches wide. Apply the powder into the rodent burrow or holes or within walls with a hand bulb or similar duster. Do not use power dusting devices. Sprinkle the powder in patches in such a manner as to expose the rodent to it. Patch size may be (but not limited to) 6" x 12" and should be adapted to each situation. For rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of tracking powder in each burrow with footpump duster (about 15 pumps). Close burrows with soil, loose leaves, or paper. Repeat if burrows are reopened.

Maintain powder in treated areas for at least 20 days. Where accessible, collect and dispose of all dead animals and used powder promptly. Repeat treatment when infestation recurs. Where a continuous source of infestation is present, establish permanent tracking powder stations and replenish the powder as needed.

RESTRICTED-USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

Ditrac®
TRACKING POWDER

KILLS RATS AND MICE

ACTIVE INGREDIENT: Diphacinone;	
2-(Diphenylacetyl)-1,3-indandione	0.2%
INERT INGREDIENTS	99.8%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See right side panel for additional precautionary statements)

For 24-hour emergency medical advice, call 1-877-854-2494.

Manufactured by:



Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

EPA EST. NO. 12455-WI-1 EPA REG. NO. 12455-56

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Wear dust mask or respirator if product may be inhaled. This product can be absorbed through the skin, so it should be handled with gloves. Do not allow tracking powder to contact skin. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Keep away from humans, domestic animals or pets. This material may reduce the clotting ability of the blood and cause bleeding. Exposure during pregnancy should be avoided. Do not contaminate feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or a Poison Control Center immediately.

IF IN EYES: Flush with plenty of water for 15 minutes. Contact physician if irritation persists.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store only in original container in a dry area inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty pail into application equipment. Then dispose of empty pail in a sanitary landfill or by incineration or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.