

LARVA-LUR contains PROPOXUR

For Pest Control Operators and Commercial Use Only.

For effective control of cockroaches, crickets, and ants,

ACTIVE INGREDIENT: 2-(1-Methylethoxy) phenol methylcarbamate OTHER INGREDIENTS: TOTAL

PRENTOX[®] — Registered Trademark of Prentiss Incorporated

EPA Reg. No. 655-802

KEEP OUT OF REACH OF CHILDREN **CAUTION** AVISO

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, de not use this product until the label has been fully explained to you.)

ERST AND

Have product container or label with you when obtaining treatment.

In case of poisoning, call a physician, Poison Control Center, or the National Pesticide Information Center at 1-800-858-7378 immediately. Have person lie down and keep quiet.

- enter at 1-800-858-Call a physician, Poison Control Center, or the National Resticide Information 7378 immediately for treatment advice Drink 1 or 2 glasses of water. swallowed Do not induce vomiting unless told to do so by a physician or Poison Control Center.
- If person is unconscious, do not give anything by mouth and do not induce vomiting
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. If in eyes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician, Poison Control Center, or the National Pesticide Information Center at 1-800-858-
 - 7378 immediately for treatment advice.
- Take off contaminated clothing.
- If on skin Rinse skin immediately with plenty of water for 15-20 minutes. or clothing
 - Call a physician, Poison Control Center, or the National Pesticide Information Center at 1-800-858-7378 immediately for treatment advice.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

Manufactured by:

6/01

98%

100%

EPA Est. No. 655-GA-1

PRENTISS INCORPORATED

Office: C.B. 2000, Floral Park, NY 11002-2000 Plant: Kaolin Road, Sandersville, GA 31082

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION! Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Personal Protective Equipment (PPE): Applicators must wear long-sleeved shirt, long pants, and shoes plus socks.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact any person or pet, either directly or indirectly. Keep people and pets out of the area during application.

IMPORTANT: Read these entire Directions and Conditions of Sale before using Prentox Larva-Lur.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. PRENTISS INCORPORATED OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR VINUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF PRENTISS INCORPORATED AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

Prentox Larva-Lur, a ready-to-use product, is very effective for the control of ants (except California), crickets and the following cockroaches listed below. It gives rapid kill of these insects including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Crickets and roaches die quickly after feeding on the ban. Apply as needed to control the target pests.

Do not formulate this product into other end use products.

Cockroaches: American, Brown, Brown banded, German, and Oriental roaches. Crickets

Ants (including carpenter ants) (except California) Silverfish

For use in Homes, Apartment Buildings, Stores, Restaurants (non-food areas), Warehouses, Government Offices, Public Buildings and Institutions.

Apply bait lightly to floors near baseboards, in closets, under sinks and refrigerators, around and inside garbage cans, and in other areas where insects are found but which are inaccessible to children such as cracks and crevices. (Do not make crack and crevice applications in California.) Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Use approximately 4 ounces of pair per 1,000 sq. ft. of space and scatter lightly so that bait is barely visible. Repeat as necessary. Keep out of reach of children

For Use By Pest Control Operators in Restaurants (food areas), Poultry Packing, Red Meat Packing and Food Processing Plants, including plants that are Federally Inspected, as well as food processing areas of stores, warehouses, Government Offices, Rublic Buildings and Institutions.

Apply bait on paper, pasteboard, or other material that will permit removal. Locate these bait stations on window sills, on floors near walls, in stotage areas and other areas where insects have been observed. Maintain strict account of location and number of bait stations. Do not apply bait in edible product areas until operations have ceased for the day. Remove all bait stations from the edible products areas before resuming operations. Do not store Prentox Larva-Lur in or around such processing plants.

For Use in Research Facilities: The use of Propoxur in research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals. Prentox Larva-Lur should not be applied directly on animals nor applied where animals can feed on the bait.

For Outdoor Use around patios, driveways, sidewalks, and foundations only. Apply bait evenly in a band 2 to 3 feet wide at the rate of 4 oz. per 1000 sq. ft. around foundations, patios, driveways, or sidewalks, taking care to treat any cracks or over cess. For maximum effectiveness treat beneath concrete drain splashpans.

RESTRICTIONS

Do not apply to floors or other surfaces likely to be contacted by children or pets.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of as directed below. In spill or leak incidents, keep unauthorized people away.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.